



## Test Report

No. 4949476-CH01

Date: August 23, 2022

Page 1 of 8

Brumlow Mills, LLC  
734. S River Street, Ext.  
Calhoun, GA 30701  
United States

The following sample(s) was/were submitted and identified by/on behalf of the client as:

5 Color Blocks  
Sample No.: LA952  
Color: Purple / Blue / Green / Orange / Red

Sample Received Date:

08/12/2022

Testing Period

08/12/2022 – 08/19/2022

Test Requested : Please refer to the result summary.

Test Method & Results : Please refer to next page(s).

Result Summary :

Test Requested	Conclusion
1. CPSIA Section 101(a)(2) – Lead in Accessible Substrate Materials	PASS
2. US California Proposition 65 - Lead Content	PASS
3. CPSIA Section 108 – Phthalates	PASS
4. US California Proposition 65 – Phthalate Content	PASS

Signed for and on behalf of SGS North America, Inc.

Sam Chien  
Laboratory supervisor, Chemistry laboratory

Prepared By:

Daniel Liu  
Laboratory supervisor, Chemistry laboratory

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 45 days only."

## Test Report

No. 4949476-CH01

Date: August 23, 2022

Page 2 of 8

### 1. CPSIA Section 101(a)(2) – Lead in Accessible Substrate Materials

Test Method: With reference to CPSC Test Method: CPSC-CH-E1002-08.1 (for non-metal materials) and CPSC-CH-E1001-08.1 (for metal materials). Analysis was performed by ICP-OES and/or ICP-MS.

Test Item	Results (ppm)			Reporting Limit (ppm)	Limit (ppm)
	1	2	3		
Lead (Pb)	ND	ND	ND	20	100
<b>Conclusion</b>	PASS	PASS	PASS	--	--

Test Item	Results (ppm)			Reporting Limit (ppm)	Limit (ppm)
	4	5	6		
Lead (Pb)	ND	ND	ND	20	100
<b>Conclusion</b>	PASS	PASS	PASS	--	--

#### Sample Description:

1. Purple Carpet Fiber
2. Blue Carpet Fiber
3. Green Carpet Fiber
4. Orange Carpet Fiber
5. Red Carpet Fiber
6. Bottom Layer of Carpet Block

Note:

1. ppm = parts per million
2. mg/kg = ppm
3. 1% = 10000 ppm (mg/kg)
4. ND = Not Detected, reported when the reading is less than the reporting limit value.

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 45 days only."

**2. US California Proposition 65– Lead Content**
**Substrates:**

Test Method: With reference to CPSC Test Method: CPSC-CH-E1002-08.1 (for non-metal materials) and CPSC-CH-E1001-08.1 (for metal materials). Analysis was performed by ICP-OES and/or ICP-MS.

Test Item	Results (ppm)			Reporting Limit (ppm)	Limit (ppm)
	1	2	3		
Lead (Pb)	ND	ND	ND	20	100
<b>Conclusion</b>	PASS	PASS	PASS	--	--

Test Item	Results (ppm)			Reporting Limit (ppm)	Limit (ppm)
	4	5	6		
Lead (Pb)	ND	ND	ND	20	100
<b>Conclusion</b>	PASS	PASS	PASS	--	--

**Sample Description:**

1. Purple Carpet Fiber
2. Blue Carpet Fiber
3. Green Carpet Fiber
4. Orange Carpet Fiber
5. Red Carpet Fiber
6. Bottom Layer of Carpet Block

Note: 1. ppm = parts per million  
2. mg/kg = ppm  
3. 1% = 10000 ppm (mg/kg)  
4. ND = Not Detected, reported when the reading is less than the reporting limit value.

Remark: The reference limit applied in testing is based on particular prop 65 settlements that are most similar to the tested product in the opinion of the lab. The testing in this report does not reflect a user's actual exposure to the tested chemical.  
A manufacturer or retailer that is not named in the referenced settlement is not bound by that settlement, and may choose to comply with Proposition 65 by clearly informing the consumer of potential exposure.

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 45 days only."

## Test Report

No. 4949476-CH01

Date: August 23, 2022

Page 4 of 8

### 3. CPSIA Section 108 – Phthalates

Test Method: With reference to CPSC-CH-C1001-09.4. Analysis was performed by GC-MS.

Phthalates	CAS No.	Results (ppm)			Reporting Limit (ppm)	Permissible Limit (ppm)
		1	2	3		
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	ND	150	1000
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	ND	150	1000
Bis-(2-ethylhexyl) Phthalate (DEHP)	117-81-7	ND	ND	ND	150	1000
Diisononyl Phthalate (DINP)	28553-12-0 / 68515-49-1	ND	ND	ND	150	1000
Diisobutyl Phthalate (DIBP)	84-69-5	ND	ND	ND	150	1000
Di-n-pentyl Phthalate (DPENP)	131-18-0	ND	ND	ND	150	1000
Di-n-hexyl Phthalate (DnHP)	84-75-3	ND	ND	ND	150	1000
Dicyclohexyl Phthalate (DCHP)	84-61-7	ND	ND	ND	150	1000
<b>Conclusion</b>	--	PASS	PASS	PASS	--	--

Phthalates	CAS No.	Results (ppm)			Reporting Limit (ppm)	Permissible Limit (ppm)
		4	5	6		
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	ND	150	1000
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	ND	150	1000
Bis-(2-ethylhexyl) Phthalate (DEHP)	117-81-7	ND	ND	ND	150	1000
Diisononyl Phthalate (DINP)	28553-12-0 / 68515-49-1	ND	ND	ND	150	1000
Diisobutyl Phthalate (DIBP)	84-69-5	ND	ND	ND	150	1000
Di-n-pentyl Phthalate (DPENP)	131-18-0	ND	ND	ND	150	1000
Di-n-hexyl Phthalate (DnHP)	84-75-3	ND	ND	ND	150	1000
Dicyclohexyl Phthalate (DCHP)	84-61-7	ND	ND	ND	150	1000

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 45 days only."

## Test Report

No. 4949476-CH01

Date: August 23, 2022

Page 5 of 8

Conclusion	--	PASS	PASS	PASS	--	--
------------	----	------	------	------	----	----

### Sample Description:

1. Purple Carpet Fiber
2. Blue Carpet Fiber
3. Green Carpet Fiber
4. Orange Carpet Fiber
5. Red Carpet Fiber
6. Bottom Layer of Carpet Block

Note:

1. ppm = parts per million
2. mg/kg = ppm
3. 1% = 10000 ppm (mg/kg)
4. ND = Not Detected, reported when the reading is less than the reporting limit value.

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 45 days only."

**4. US California Proposition 65 – Phthalate Content**

Test Method: With reference to CPSC-CH-C1001-09.4. Analysis was performed by GC-MS.

Phthalates	CAS No.	Results (ppm)			Reporting Limit (ppm)	Reference Limit (ppm)
		1	2	3		
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	ND	150	1000
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	ND	150	1000
Bis-(2-ethylhexyl) Phthalate (DEHP)	117-81-7	ND	ND	ND	150	1000
Diisodecyl Phthalate (DIDP)	26761-40-0 / 68515-49-1	ND	ND	ND	150	1000
Di-n-hexyl Phthalate (DnHP)	84-75-3	ND	ND	ND	150	1000
Diisononyl Phthalate (DINP)	28553-12-0 / 68515-48-0	ND	ND	ND	150	1000
<b>Conclusion</b>	--	PASS	PASS	PASS	--	--

Phthalates	CAS No.	Results (ppm)			Reporting Limit (ppm)	Reference Limit (ppm)
		4	5	6		
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	ND	150	1000
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	ND	150	1000
Bis-(2-ethylhexyl) Phthalate (DEHP)	117-81-7	ND	ND	ND	150	1000
Diisodecyl Phthalate (DIDP)	26761-40-0 / 68515-49-1	ND	ND	ND	150	1000
Di-n-hexyl Phthalate (DnHP)	84-75-3	ND	ND	ND	150	1000
Diisononyl Phthalate (DINP)	28553-12-0 / 68515-48-0	ND	ND	ND	150	1000
<b>Conclusion</b>	--	PASS	PASS	PASS	--	--

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 45 days only."

Sample Description:

1. Purple Carpet Fiber
2. Blue Carpet Fiber
3. Green Carpet Fiber
4. Orange Carpet Fiber
5. Red Carpet Fiber
6. Bottom Layer of Carpet Block

Note:

1. ppm = parts per million
2. mg/kg = ppm
3. 1% = 10000 ppm (mg/kg)
4. ND = Not Detected, reported when the reading is less than the reporting limit value.

Remark: The reference limit applied in testing is based on particular prop 65 settlements that are most similar to the tested product in the opinion of the lab. The testing in this report does not reflect a user's actual exposure to the tested chemical.

A manufacturer or retailer that is not named in the referenced settlement is not bound by that settlement, and may choose to comply with Proposition 65 by clearly informing the consumer of potential exposure.

*"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 45 days only."*



### Sample Photo(s):



SGS authenticates the photo(s) on the original report only

\*\*\* End of Report \*\*\*

*"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 45 days only."*